

# Make-Up Lips

## Long Lasting Matte Lip Cream

Tired of lipsticks? Try the lip cream! This long-lasting matte formula is so comfortable, you'll forget about it. But look at yourself in the next mirror, and you see how intense your lips are! Two shades are presented here: a light peach, perfect for spring, and a deep terracotta that will warm up your winter.

	Ingredients	INCI	%	Supplier
Phase A	Isohexadecane	Isohexadecane	48.60	Ineos
	Bentone Gel ISD V	Isododecane, Disteardimonium, Hectorite, Propylene Carbonate	12.80	Elementis
	CRODAMOL PTIS-LQ-(MV)	Pentaerythrityl Tetraisostearate	8.75	Croda
	Kahlwax 1540 - Beeswax Substitute	Cera Microcristallina, Hydrogenated Vegetable Oil, Cera Alba, Hydrogenated Palm Acid, Stearyl Stearate	5.80	KahlWax
Phase B	Xiameter PMX-200 Silicone Fluid	Polydimethylsiloxane Polymer	5.80	Dow Corning
	Compritol 888CG	Tribehenin	4.85	Gattefossé
	KSG-19	Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer	3.90	Shin Etsu
	Lexgard O	Caprylyl Glycol	0.95	Inolex
Phase C	CL-Silica-150	Silica	3.85	Cemland
	<b>SynMica C86-3222</b>	Synthetic Fluorphlogopite	4.90	SunChemical

1. Homogenize Phase A ingredient for 15 minutes
2. Add ingredients of Phase B to Phase A, then heat to 80°C
3. Add ingredient of Phase C under stirring and allow it to cool down.
4. Fill into suitable packaging

	Peachy Pink	QS Base		Terracotta	QS Base
SWD-7556	Synthetic Wax, Titanium Dioxide	7.00	SWD-7556	Synthetic Wax, Titanium Dioxide	15.00
SWD-4519	Synthetic Wax, D&C Red 6 Na Salt	2.00	SWD-4519	Synthetic Wax, D&C Red 6 Na Salt	2.00
SWD-5073	Synthetic Wax, Yellow Iron Oxide	1.00	SWD-4511	Synthetic Wax, D&C Red 7 Ca Lake	6.00
SWD-7550	Black Iron Oxide, Synthetic Wax	0.30	SWD-7550	Black Iron Oxide, Synthetic Wax	0.30
SWD-4733	Synthetic Wax, FD&C Blue 1 Al Lake	0.30			

"Although the data supplied above are believed to be correct, the data are presented without any representation or warranty concerning the suitability, performance or correctness of the product for a particular application or use. Significant variations can occur between test results and results obtained in actual use. We strongly advise that before purchase the buyer test the product in the specific intended application under conditions expected during use. Suggestions made by Sun Chemical Corporation are our opinion only and there is no warranty of the results to be obtained."